

**Remarks/Arguments:**

The original Title has been replaced on page 1 with a new Title, a suggested by the Examiner. This new Title is consistent with the preamble language of sole independent Claim 1 and should thus be acceptable. Entry is requested.

Independent Claim 1 has been amended at lines 7 and 17 to provide the antecedent - - multilayered - - prior to the term "PCB." This amending, requested by the Examiner, is also consistent with the preceding language on line 4 of Claim 1. Further amending of Claim 1 is, therefore, not believed necessary.

Dependent Claim 3 has also been amended to correct an obvious error by Applicant, as indicated by the Examiner. This Claim now depends from preceding dependent Claim 2.

Finally, dependent Claim 6 has been amended to also provide the - - multilayered - - antecedent, as further urged by the Examiner.


The above amending is in accordance with the Examiner's requirements/suggestions as stipulated in the Office Action and does not constitute the addition of new matter. Entry is urged.

None of the remaining Claims have been amended and such amending is not deemed necessary.

The remainder of the Specification has been reviewed and it is submitted that further amending thereto is not necessary.

The Application is deemed in final condition for allowance, and such action on the part of the Examiner is respectfully urged. Should the Examiner believe, however, that minor differences may remain which, if overcome, will result in final allowance and that said differences can be openly discussed in a telephone conversation, the Examiner is respectfully requested to phone the undersigned to discuss such differences and hopefully resolve same, thereby expediting prosecution of this Application.

Respectfully submitted,

A handwritten signature in cursive script, appearing to read "Lawrence R. Fraley".

Dated: August 26, 2005  
Telephone: 561-575-3608  
Fax: 561-745-2741

By: Lawrence R. Fraley  
Attorney for Applicant  
Reg. No. 26,885